



**Commonwealth of Pennsylvania
Bureau of Dog Law Enforcement
Kennel Inspection**



Kennel ALMOST HEAVEN 4202 CHESTNUT STREET EMMAUS PA 18049 610-967-6330 (Business)	Owner(s)
Kennel County LEHIGH (7)	Kennel Township UPPER MILFORD
License Number 02521	License Year / Class 2008 K5: 251-500 DOGS PER YEAR
Person Interviewed	Title

Number of Dogs (Sold/Boarded/Adopted/Transferred/Returned to Owner)

On Premises:	575	During License Term:	250	Previous 12 Months:	551
---------------------	------------	-----------------------------	------------	----------------------------	------------

INSPECTION RESULTS (S - Satisfactory, U - Unsatisfactory, N/A- Not Applicable "Remarks" section for explanation of deficiencies)

Inspection Results	S	U	N/A	Inspection Results	S	U	N/A
Reg 21.21a Maintenance		X		Reg 21.27 Lighting	X		
Reg 21.21b Water Resistance		X		Reg 21.28a Food	X		
Reg 21.21c Drainage	X			Reg 21.28b Water	X		
Reg 21.22 Segregation	X			Reg 21.28c Food/Water Receptacles	X		
Reg 21.23a Run Space	X			Reg 21.28d Bedding Cleanliness	X		
Reg 21.23b Run Dimensions	X			Reg 21.29a Excreta	X		
Reg 21.24a Shelter	X			Reg 21.29b Sanitation	X		
Reg 21.24b Bedding	X			Reg 21.29c Housekeeping/Pests	X		
Reg 21.24c Chains			X	Reg 21.41a Records Kept	X		
Reg 21.24d Rest Area	X			Reg 21.41b Record on State Forms	X		
Reg 21.25a Temperature	X			Reg 21.42 Bill of Sale	X		
Reg 21.25b Shade	X			Reg 455.8 Rabies Vaccination	X		
Reg 21.26 Ventilation	X			Reg Other : 21.30 CONDITION OF DOGS		X	

Remarks

21.21a Maintenance
MINOR REPAIRS TO PIPING IN KENNEL (3 ELBOWS NEED TO BE REPAIRED)

21.21b Water Resistance
MINOR REPAIR, WOOD SURFACE IN ONE KENNEL NEEDS TO BE TREATED

Other
4 DOGS NEED CLIPPING

2008 LICENSE WAS VERIFIED. INSPECTION PERFORMED BY WARDEN ORLANDO AGUIRRE, KATHY ANDREWS 3 KENNEL SPECIALIST.

MINOR REPAIRS NEEDED. WOOD IN ONE KENNEL NEEDS TO BE TREATED IN ORDER TO BE WATER RESITANT. 3 ELBOWS IN KENNEL NEED REPAIR. 4 DOGS NEED TO BE CLIPPED.

RECHECK TO BE DONE.

Inspection Action None	Inspection Date 05/23/2008	Inspected By/Signature AGUIRRE, ORLANDO
---	---	--



**Commonwealth of Pennsylvania
Bureau of Dog Law Enforcement
Kennel Inspection**



Kennel ALMOST HEAVEN 4202 CHESTNUT STREET EMMAUS PA 18049 610-967-6330 (Business)				Owner(s)			
Kennel County LEHIGH (7)				Kennel Township UPPER MILFORD			
License Number 02521				License Year / Class 2008 K5: 251-500 DOGS PER YEAR			
Person Interviewed				Title			
Number of Dogs (Sold/Boarded/Adopted/Transferred/Returned to Owner)							
On Premises:	622	During License Term:	260	Previous 12 Months:	551		
INSPECTION RESULTS (S - Satisfactory, U - Unsatisfactory, N/A- Not Applicable "Remarks" section for explanation of deficiencies)							
Inspection Results	S	U	N/A	Inspection Results	S	U	N/A
Reg 21.21a Maintenance	X			Reg 21.27 Lighting	X		
Reg 21.21b Water Resistance	X			Reg 21.28a Food	X		
Reg 21.21c Drainage	X			Reg 21.28b Water	X		
Reg 21.22 Segregation	X			Reg 21.28c Food/Water Receptacles	X		
Reg 21.23a Run Space	X			Reg 21.28d Bedding Cleanliness	X		
Reg 21.23b Run Dimensions	X			Reg 21.29a Excreta	X		
Reg 21.24a Shelter	X			Reg 21.29b Sanitation	X		
Reg 21.24b Bedding	X			Reg 21.29c Housekeeping/Pests	X		
Reg 21.24c Chains			X	Reg 21.41a Records Kept	X		
Reg 21.24d Rest Area	X			Reg 21.41b Record on State Forms	X		
Reg 21.25a Temperature	X			Reg 21.42 Bill of Sale	X		
Reg 21.25b Shade	X			Reg 455.8 Rabies Vaccination	X		
Reg 21.26 Ventilation	X			Reg Other			X
Remarks INSPECTION PERFORMED BY WARDEN ORLANDO AGUIRRE AND WARDEN ED BUNT. REPAIRS FROM INSPECTION ON 5/23/08 WERE CORRECTED. 4 DOGS WERE CLIPPED, 3 ELBOWS WERE REPAIRED AND WOOD IN KENNEL WAS TREATED. ALL CORRECTIONS WERE MADE WITHIN THE MANDATED TIME AND KENNEL IS UNDER COMPLINACE WITH STATE REGULATIONS.							
Inspection Action None			Inspection Date 06/12/2008			Inspected By/Signature AGUIRRE, ORLANDO	



**Commonwealth of Pennsylvania
Bureau of Dog Law Enforcement
Kennel Inspection**



Kennel ALMOST HEAVEN 4202 CHESTNUT STREET EMMAUS PA 18049 610-967-6330 (Business)			Owner(s)		
Kennel County LEHIGH (7)			Kennel Township UPPER MILFORD		
License Number 02521			License Year / Class 2008 K5: 251-500 DOGS PER YEAR		
Person Interviewed			Title		
Number of Dogs (Sold/Boarded/Adopted/Transferred/Returned to Owner)					
On Premises:	508	During License Term:	272	Previous 12 Months:	551
INSPECTION RESULTS (S - Satisfactory, U - Unsatisfactory, N/A- Not Applicable "Remarks" section for explanation of deficiencies)					
Inspection Results			Inspection Results		
	S	U	N/A		
Reg 21.21a Maintenance	X			Reg 21.27 Lighting	X
Reg 21.21b Water Resistance	X			Reg 21.28a Food	X
Reg 21.21c Drainage	X			Reg 21.28b Water	X
Reg 21.22 Segregation	X			Reg 21.28c Food/Water Receptacles	X
Reg 21.23a Run Space	X			Reg 21.28d Bedding Cleanliness	X
Reg 21.23b Run Dimensions	X			Reg 21.29a Excreta	X
Reg 21.24a Shelter	X			Reg 21.29b Sanitation	X
Reg 21.24b Bedding	X			Reg 21.29c Housekeeping/Pests	X
Reg 21.24c Chains			X	Reg 21.41a Records Kept	X
Reg 21.24d Rest Area	X			Reg 21.41b Record on State Forms	X
Reg 21.25a Temperature	X			Reg 21.42 Bill of Sale	X
Reg 21.25b Shade	X			Reg 455.8 Rabies Vaccination	X
Reg 21.26 Ventilation	X			Reg Other	
					X
Remarks KENNEL WAS INSPECTED BY DIRECTOR SUSAN WEST, SUPERVISOR DIANE BUHL, WARDEN ED BUNT AND WARDEN ORLANDO AGUIRRE 2008 LICENSE VERIFIED RABIES CERTIFICATION LETTER VERIFIED RECORDS EXEMPT FORM LETTER VERIFIED					
Inspection Action None		Inspection Date 08/07/2008		Inspected By/Signature AGUIRRE, ORLANDO	



**Commonwealth of Pennsylvania
Bureau of Dog Law Enforcement
Kennel Inspection**



Kennel ALMOST HEAVEN 4202 CHESTNUT STREET EMMAUS PA 18049 610-967-6330 (Business)	Owner(s)
Kennel County LEHIGH (7)	Kennel Township UPPER MILFORD
License Number 02521	License Year / Class 2008 K5: 251-500 DOGS PER YEAR
Person Interviewed	Title

Number of Dogs (Sold/Boarded/Adopted/Transferred/Returned to Owner)

On Premises: 597	During License Term: 378	Previous 12 Months: 551
-------------------------	---------------------------------	--------------------------------

INSPECTION RESULTS (S - Satisfactory, U - Unsatisfactory, N/A- Not Applicable "Remarks" section for explanation of deficiencies)

Inspection Results	S	U	N/A	Inspection Results	S	U	N/A
Reg 21.21a Maintenance		X		Reg 21.27 Lighting	X		
Reg 21.21b Water Resistance		X		Reg 21.28a Food	X		
Reg 21.21c Drainage		X		Reg 21.28b Water	X		
Reg 21.22 Segregation		X		Reg 21.28c Food/Water Receptacles	X		
Reg 21.23a Run Space	X			Reg 21.28d Bedding Cleanliness		X	
Reg 21.23b Run Dimensions	X			Reg 21.29a Excreta		X	
Reg 21.24a Shelter	X			Reg 21.29b Sanitation		X	
Reg 21.24b Bedding	X			Reg 21.29c Housekeeping/Pests		X	
Reg 21.24c Chains			X	Reg 21.41a Records Kept	X		
Reg 21.24d Rest Area	X			Reg 21.41b Record on State Forms	X		
Reg 21.25a Temperature	X			Reg 21.42 Bill of Sale	X		
Reg 21.25b Shade	X			Reg 455.8 Rabies Vaccination	X		
Reg 21.26 Ventilation		X		Reg Other : 21.30 Condition of Dogs		X	

Remarks

21.21a- There was bent wire protruding into cages leaving gaps in the wire. Rust pipes throughout the kennel with jagged edges which dogs could come in contact with. Door frames throughout kennel were rusted. Plastic floor grates in outdoor kennels were broken with holes in them. Plastic dog houses were chewed up with rough edges. Indoor shed on upper level by monkeys had a dilapidated ceiling with insulation falling down; the laminate flooring was ripped, and had holes in the wall.

21.21b- Owner needs to coated, seal, paint, or cover any exposed wood throughout kennel.

21.21c- Outside drainage troughs in first building filled with feces, urine, other liquid and debris. Outside fenced in pens had excess pools of water in them. One dog box in this section was filled with water.

21.22- One pen in the outside fenced in kennel area had two dogs tied together from breeding, there was also 2 other dogs in this same pen.

21.26- In the small dog indoor kennel section contained pungent odors of ammonia despite the presence of five fans only two of which were being used.

21.28d- Bedding provided for puppies throughout kennel was ridden with urine and feces.

21.29a- Feces throughout all kennel sections had not been removed daily due to the quantity and appearance of same.

21.29b- Throughout the kennel there was a build up of hair, feces, and other debris inside primary enclosures. In one dog pen there was a large pool of urine in one of the indoor buildings. There was also cracked cement throughout the kennel.

21.29c- There was flies, spiders, and cob webs, and other debris throughout the kennel. There was build up of hair, debris, and feces on the chain link fencing and pipes. Open food bowls lying out throughout kennel (not in dog pens) which encourages pests.

21.30- Condition of Dog- Dogs were matted, covered with feces and mud, had skin issues, conjunctivitis, open sores, and lame dogs. All dogs with medical issues were addressed by PSPCA.

Viewed 2008 kennel license... Inspection done with Drew Delenick... Viewed rabies self certification letter...

Inspection Action Citation Issued	Inspection Date 10/01/2008	Inspected By/Signature DONMOYER, KRISTEN
---	--------------------------------------	--



**Commonwealth of Pennsylvania
Bureau of Dog Law Enforcement
Kennel Inspection**



Kennel ALMOST HEAVEN 4202 CHESTNUT STREET EMMAUS PA 18049 610-967-6330 (Business)	Owner(s)
Kennel County LEHIGH (7)	Kennel Township UPPER MILFORD
License Number 02521	License Year / Class 2008 K5: 251-500 DOGS PER YEAR
Person Interviewed	Title

Number of Dogs (Sold/Boarded/Adopted/Transferred/Returned to Owner)

On Premises:	575	During License Term:	451	Previous 12 Months:	551
--------------	------------	----------------------	------------	---------------------	------------

INSPECTION RESULTS (S - Satisfactory, U - Unsatisfactory, N/A- Not Applicable "Remarks" section for explanation of deficiencies)

Inspection Results	S	U	N/A	Inspection Results	S	U	N/A
Reg 21.21a Maintenance		X		Reg 21.27 Lighting	X		
Reg 21.21b Water Resistance		X		Reg 21.28a Food	X		
Reg 21.21c Drainage		X		Reg 21.28b Water	X		
Reg 21.22 Segregation	X			Reg 21.28c Food/Water Receptacles	X		
Reg 21.23a Run Space	X			Reg 21.28d Bedding Cleanliness	X		
Reg 21.23b Run Dimensions	X			Reg 21.29a Excreta	X		
Reg 21.24a Shelter	X			Reg 21.29b Sanitation		X	
Reg 21.24b Bedding	X			Reg 21.29c Housekeeping/Pests		X	
Reg 21.24c Chains			X	Reg 21.41a Records Kept	X		
Reg 21.24d Rest Area		X		Reg 21.41b Record on State Forms	X		
Reg 21.25a Temperature	X			Reg 21.42 Bill of Sale	X		
Reg 21.25b Shade	X			Reg 455.8 Rabies Vaccination	X		
Reg 21.26 Ventilation		X		Reg Other : 21.30 Condition of Dog		X	



**Commonwealth of Pennsylvania
Bureau of Dog Law Enforcement
Kennel Inspection**



Remarks

Reinspection of kennel... A total of 381 adult dogs and 194 puppies on the premises at time of inspection... Viewed 2008 kennel license... Viewed rabies self certification letter... Viewed exemption letter to keep records on "unofficial" forms... Inspection done with Drew Delenick, Cole Warminsky, and Megan Caskey.

21.21(a) Maintenance- There was broken kennel decks in many of the outside fenced in sections... Throughout the kennel there were rusted and broken pipes which the dogs could come in contact with... Door gate between Chapel play and outside runs needs repaired or replaced (wires mangled). Many of the cages had broken metal elbows that need repaired. Pull wire door fencing down on (Dudley's) run. Fix broken wire in Nursery section pen. On the patio section fix area with boarded wall that has a hole in it and that is chewed up. Fix floor in Monkey room where dogs have access. Fix broken wall between pen 15/16, and fix broken wire door in this section.

21.21(b) Water Resistance- Areas of kennel that have rust on the doors, pipes, and metal fencing need to be painted so it can be readily sanitized. Fix patio section with the cracked cement so it can be readily sanitized. Any pens with cracks in them need to be resealed (Velcro's run). Inside this section reseal the concrete flooring (epoxy). Seal any exposed or chewed wood that dogs can come in contact with, especially in the patio section.

21.21(c) Drainage- In play yard section of kennel, fill in holes with rocks and level out to provide for adequate drainage. Owner said he was going to rototill that entire section to fix this problem.

21.22 Segregation- This previous unsatisfactory has been corrected.

21.24(d) Rest Area- In the grooming room, fix the vinyl coated flooring of some pens.

21.26 Ventilation- There is still a strong smell of ammonia in the Nursery and Main Room section of kennel.

21.28(c) Food and Water Receptacles- In play yard #3 there was one chewed water bucket that needs replaced.

21.28(d) Bedding Cleanliness- This previous unsatisfactory has been corrected.

21.29(a) Excreta- This previous unsatisfactory has been corrected.

21.29(b) Sanitation- There was hair/ debris built up on stones in outdoor kennel sections that dogs could come in contact with, and between fence dividers. Clean/sanitize inside dog houses everyday, not once a week. In patio section of kennel where cracked cement is, there is a build up of debris in between the cracks.

21.29(c) Housekeeping- Clean hair and debris build up off of fans. Brush down cob webs from pens and areas in close proximity to pens

21.30 Condition of Dog- Throughout the kennel many dogs had matts on them and were in need of being clipped. Owner clipped a few dogs rears during the inspection, finish clipping the rest.

Inspection Action Warning Issued	Inspection Date 10/17/2008	Inspected By/Signature DONMOYER, KRISTEN
---	---	---



**Commonwealth of Pennsylvania
Bureau of Dog Law Enforcement
Kennel Inspection**



Kennel ALMOST HEAVEN 4202 CHESTNUT STREET EMMAUS PA 18049 610-967-6330 (Business)	Owner(s)
Kennel County LEHIGH (7)	Kennel Township UPPER MILFORD
License Number 02521	License Year / Class 2008 K5: 251-500 DOGS PER YEAR
Person Interviewed	Title

Number of Dogs (Sold/Boarded/Adopted/Transferred/Returned to Owner)

On Premises: 551	During License Term: 467	Previous 12 Months: 551
-------------------------	---------------------------------	--------------------------------

INSPECTION RESULTS (S - Satisfactory, U - Unsatisfactory, N/A- Not Applicable "Remarks" section for explanation of deficiencies)

Inspection Results	S	U	N/A	Inspection Results	S	U	N/A
Reg 21.21a Maintenance		X		Reg 21.27 Lighting	X		
Reg 21.21b Water Resistance		X		Reg 21.28a Food	X		
Reg 21.21c Drainage		X		Reg 21.28b Water	X		
Reg 21.22 Segregation	X			Reg 21.28c Food/Water Receptacles	X		
Reg 21.23a Run Space	X			Reg 21.28d Bedding Cleanliness	X		
Reg 21.23b Run Dimensions	X			Reg 21.29a Excreta	X		
Reg 21.24a Shelter	X			Reg 21.29b Sanitation		X	
Reg 21.24b Bedding	X			Reg 21.29c Housekeeping/Pests		X	
Reg 21.24c Chains			X	Reg 21.41a Records Kept	X		
Reg 21.24d Rest Area	X			Reg 21.41b Record on State Forms	X		
Reg 21.25a Temperature	X			Reg 21.42 Bill of Sale	X		
Reg 21.25b Shade	X			Reg 455.8 Rabies Vaccination	X		
Reg 21.26 Ventilation		X		Reg Other : 21.30 Condition of Dog		X	

Remarks

Reinspection of kennel took place on November 4, 2008. A total of 369 adult dogs and 182 puppies were located on the premises at the time of inspection. Kennel owner's 2008 kennel license was viewed along with rabies self certification letter and exemption letter allowing owner to keep records on "unofficial" forms. Inspection was performed with Drew Delenick, Megan Caskey and the state veterinarian. The state veterinarian examined all dogs in the kennel and determined that none of the dogs' health, safety, and/or welfare was endangered.

*** Actions directed to be taken below are not all that may be required of the kennel operator to come into compliance. The kennel operator is responsible for taking any and all actions necessary to come into compliance.

The inspection of November 4, 2008 is as follows:

21.21 (a)

There remain a few broken kennel decks; however, most of them have been repaired. Most of the rusted fences and pipes have been painted or covered. The door gate between the chapel play area and outside runs has been repaired along with broken metal elbows. Owner likewise repaired sections that had broken wires. The patio section that contained a board that had a hole in it has been repaired, as was the floor in the Monkey room. Owner shaved chewed dog boxes to eliminate sharp edges.

Holes remain in the back wall in Sandy's kennel. Additionally, the first indoor building section has concrete flooring that is chipping off and poses a threat of injury to the dogs if they ingest it. Short side kennels have a few rusted pipes that need repair. (Citation issued)

This Warden directs the kennel owner take the following action(s):

Repair holes in back wall in Sandy's kennel section (left side front part/ right side first six pens).
Repair remaining broken kennel decks. Seal or cover the concrete flooring that is chipping off.



**Commonwealth of Pennsylvania
Bureau of Dog Law Enforcement
Kennel Inspection**



21.21 (b)

Owner painted most of the areas that had rust on the pipes and fencing. The patio section with cracked cement has been fixed.

The first indoor building section has concrete flooring that is chipping off and cannot be readily sanitized. There remains unsealed exposed wood within which the dogs can come into contact. (Warning issued)

This Warden directs the kennel owner take the following action(s):

Seal or cover the concrete floor in those area where it is chipping. Seal or cover any exposed wood within which dogs can come into contact (i.e.inside guillotine doors, wood blocks in whelping pens, Sandy's kennel,and middle/end play yard fence).

21.21 (c)

There remains poor drainage in three pens (Danny's, Luke's, and Cameron's). (Citation issued).

This Warden directs the kennel owner take the following action(s):

Add more stones in the above-reference three pens, level said pens, and any other necessary remedy to rapidly eliminate excess water.

21.24 (d)

This previous unsatisfactory has been corrected.

21.26

There was a very strong smell of ammonia when the wardens first went into the Nursery/ Main Room section of kennel. The owner acknowledged that it "stank" and explained that it was from having a grate over the vent. Wardens had the owner take the grate off. Upon its removal the ventilation improved somewhat; however, it was too short a period of time to notice major improvement. (Warning issued).

This Warden directs the kennel owner take the following action(s):

Permanently remove grate from vent. Clean the area where the vent is due to a large build up of dust and debris.

21.29 (b)

There remains build up debris and gunk along the gate and fence across from Sandy's kennel. Overall most of the previous sanitation issues have been corrected including the cracked cement, and dog boxes. (Warning issued)

This Warden directs the kennel owner take the following action(s):

Sanitize, scrape, remove debris along the gate and fence across from Sandy's kennel a minimum of once daily and as often as is necessary to prevent an accumulation of debris or excreta or a disease hazard.

21.29 (c)

This previous unsatisfactory has been corrected. The fans have been cleaned/ painted to eliminate rust. The cob webs have also been removed. This Warden told owner to continue to be aware of these issues so the previous unsatisfactory does not occur again in the future.

21.30

One dog yet needs groomed (Preston). Other dogs appeared much better. (Warning issued).

This Warden directs the kennel owner take the following action(s):

Groom Preston.

Inspection Action Citation Issued	Inspection Date 11/04/2008	Inspected By/Signature DONMOYER, KRISTEN
---	--------------------------------------	--



**Commonwealth of Pennsylvania
Bureau of Dog Law Enforcement
Kennel Inspection**



Kennel ALMOST HEAVEN 4202 CHESTNUT STREET EMMAUS PA 18049 610-967-6330 (Business)	Owner(s)
Kennel County LEHIGH (7)	Kennel Township UPPER MILFORD
License Number 02521	License Year / Class 2008 K5: 251-500 DOGS PER YEAR
Person Interviewed	Title

Number of Dogs (Sold/Boarded/Adopted/Transferred/Returned to Owner)

On Premises:	538	During License Term:	605	Previous 12 Months:	551
--------------	------------	----------------------	------------	---------------------	------------

INSPECTION RESULTS (S - Satisfactory, U - Unsatisfactory, N/A- Not Applicable "Remarks" section for explanation of deficiencies)

Inspection Results	S	U	N/A	Inspection Results	S	U	N/A
Reg 21.21a Maintenance	X			Reg 21.27 Lighting	X		
Reg 21.21b Water Resistance	X			Reg 21.28a Food	X		
Reg 21.21c Drainage	X			Reg 21.28b Water	X		
Reg 21.22 Segregation	X			Reg 21.28c Food/Water Receptacles	X		
Reg 21.23a Run Space	X			Reg 21.28d Bedding Cleanliness	X		
Reg 21.23b Run Dimensions	X			Reg 21.29a Excreta	X		
Reg 21.24a Shelter	X			Reg 21.29b Sanitation	X		
Reg 21.24b Bedding	X			Reg 21.29c Housekeeping/Pests	X		
Reg 21.24c Chains			X	Reg 21.41a Records Kept	X		
Reg 21.24d Rest Area	X			Reg 21.41b Record on State Forms	X		
Reg 21.25a Temperature	X			Reg 21.42 Bill of Sale	X		
Reg 21.25b Shade	X			Reg 455.8 Rabies Vaccination	X		
Reg 21.26 Ventilation	X			Reg Other			X



**Commonwealth of Pennsylvania
Bureau of Dog Law Enforcement
Kennel Inspection**



Remarks

Reinspection of kennel took place on November 18, 2008. A total of 356 adult dogs and 182 puppies were located on the premises at the time of inspection. Kennel owner's 2008 kennel license was viewed along with rabies self certification letter and exemption letter allowing owner to keep records on "unofficial" forms. Inspection was performed with Drew Delenick, Megan Caskey, and the state veterinarian. The state veterinarian examined all dogs in the kennel and determined that none of the dogs' health, safety, and/ or welfare was endangered.

***Actions directed to be taken below are not all that may be required of the kennel operator to come into compliance. The kennel operator is responsible for taking any and all actions necessary to come into compliance.

The inspection of November 18, 2008 is as follows:

21.21 (a)

This previous unsatisfactory has been corrected.

21.21 (b)

This previous unsatisfactory has been corrected.

21.21 (c)

This previous unsatisfactory has been corrected.

21.26

This previous unsatisfactory has been corrected.

21.29 (b)

This previous unsatisfactory has been corrected.

21.30

This previous unsatisfactory has been corrected.

Inspection Action None	Inspection Date 11/19/2008	Inspected By/Signature DONMOYER, KRISTEN
----------------------------------	--------------------------------------	--



**Commonwealth of Pennsylvania
Bureau of Dog Law Enforcement
Kennel Inspection**



Kennel ALMOST HEAVEN 4202 CHESTNUT STREET EMMAUS PA 18049 610-967-6330 (Business)	Owner(s)
Kennel County LEHIGH (7)	Kennel Township UPPER MILFORD
License Number 02521	License Year / Class 2008 K5: 251-500 DOGS PER YEAR
Person Interviewed	Title

Number of Dogs (Sold/Boarded/Adopted/Transferred/Returned to Owner)

On Premises:	412	During License Term:	757	Previous 12 Months:	551
--------------	------------	----------------------	------------	---------------------	------------

INSPECTION RESULTS (S - Satisfactory, U - Unsatisfactory, N/A- Not Applicable "Remarks" section for explanation of deficiencies)

Inspection Results	S	U	N/A	Inspection Results	S	U	N/A
Reg 21.21a Maintenance		X		Reg 21.27 Lighting	X		
Reg 21.21b Water Resistance	X			Reg 21.28a Food	X		
Reg 21.21c Drainage	X			Reg 21.28b Water	X		
Reg 21.22 Segregation	X			Reg 21.28c Food/Water Receptacles	X		
Reg 21.23a Run Space	X			Reg 21.28d Bedding Cleanliness	X		
Reg 21.23b Run Dimensions	X			Reg 21.29a Excreta	X		
Reg 21.24a Shelter	X			Reg 21.29b Sanitation	X		
Reg 21.24b Bedding	X			Reg 21.29c Housekeeping/Pests	X		
Reg 21.24c Chains			X	Reg 21.41a Records Kept	X		
Reg 21.24d Rest Area	X			Reg 21.41b Record on State Forms	X		
Reg 21.25a Temperature	X			Reg 21.42 Bill of Sale	X		
Reg 21.25b Shade	X			Reg 455.8 Rabies Vaccination	X		
Reg 21.26 Ventilation	X			Reg Other			X

Remarks

Reinspection of kennel took place on December 11, 2008. A total of 255 adult dogs and 157 puppies were located on the premises at the time of inspection. Kennel owner's 2008 kennel license was viewed along with rabies self certification letter and exemption letter allowing owner to keep records on "unofficial" forms. Inspection was performed with Diane Buhl, Megan Caskey, and the state veterinarian. The state veterinarian examined all dogs in the kennel and determined that none of the dogs' health, safety, and/ or welfare was endangered.

***Actions directed to be taken below are not all that may be required of the kennel operator to come into compliance. The kennel operator is responsible for taking any and all actions necessary to come into compliance.

The inspection of December 11, 2008 is as follows:

21.21 (a)

Previous to the November 19, 2008 inspection the owner painted/sealed the entire floor in his first large kennel building in an attempt to seal the areas that were chipping.

The painted floor now has paint peeling off inside the pens and off the walkway which presents a health threat to the dogs in said pens in as much as they could ingest the peeling paint.

This Warden directs the kennel owner take the following action(s):

Any areas where dogs can come into contact with the peeling paint/sealant shall be covered either by a mat or re epoxy to prevent dogs from being able to ingest any of the peeling paint. Owner should consider sand blasting the floor so that a future application of epoxy will adhere to the entire surface.

Inspection Action Warning Issued	Inspection Date 12/11/2008	Inspected By/Signature DONMOYER, KRISTEN
--	--------------------------------------	--



**Commonwealth of Pennsylvania
Bureau of Dog Law Enforcement
Kennel Inspection**

