



**Commonwealth of Pennsylvania
Bureau of Dog Law Enforcement
Kennel Inspection**



Kennel TURKEY HILL KENNEL 300 E BLACK CREEK ROAD EAST EARL PA 17519 717-445-0037 (Business)			Owner(s)		
Kennel County	LANCASTER (6)		Kennel Township	BRECKNOCK	
License Number	02459		License Year / Class	2011 CK6: 501 OR MORE DOGS PER YEAR	
Person Interviewed			Title		
Inspection Action	Citation Issued	Inspection Date	1/28/2011	Inspected By	ALLWEIN, MATTHEW
Number of Dogs (Sold/Boarded/Adopted/Transferred/Returned to Owner)					
On Premises:	364	During License Term:	48	Previous 12 Months:	587

Kennel Regulations

Inspection Category	Result	Inspection Category	Result
21.21a Maintenance	Sat	21.27 Lighting	Sat
21.21b Water Resistance	UnSat	21.28a Food	Sat
21.21c Drainage	Sat	21.28b Water	Sat
21.22 Segregation	Sat	21.28c Food/Water Receptacles	UnSat
21.23a Run Space	Sat	21.28d Bedding Cleanliness	Sat
21.23b Run Dimensions	Sat	21.29a Excreta	Sat
21.24a Shelter	Sat	21.29b Sanitation	UnSat
21.24b Bedding	N/A	21.29c Housekeeping/Pests	UnSat
21.24c Chains	N/A	21.41a Records Kept	Sat
21.24d Flooring-Metal Strand	UnSat	21.41b Record on State Forms	Sat
21.25a Temperature	Sat	21.42 Bill of Sale	Sat
21.25b Shade	Sat	455.8 Rabies Vaccination	Sat
21.26 Ventilation	UnSat	Other 21.30 Condition of Dog	UnSat

Kennel Acts

Inspection Category	Result	Inspection Category	Result
206a Kennel Closure or Moving	No	207g.2 Smoke Alarm & Fire Extinguishers	N/A
207a Unlicensed Kennel	No	209a.1.1 Dealing Unlic OOS Dealer	No
207b Maintenance	UnSat	210 Bill of Sale	Sat
207c Records Kept	Sat	214 Health Certificate	N/A
207d Tags - RKNH	N/A	220 Refusal of Entry	No
207e Display of License, Refusal or Revocation	Sat	401c Interference with Officer	No
207g.1 Exercise Plan	N/A	402.d Vet Check	Yes

Commercial Kennel Acts

Inspection Category	Result	Inspection Category	Result
207h.1 Primary Enclosure-Gen Structure and Repair	UnSat	207h.14.iii Sanitation-Two Weeks or Less	UnSat
207h.2.i Primary Enclosure-Sharp Edges and Points	Sat	207h.14.iv Sanitation Methods	Sat
207h.2.ii Primary Enclosure-Protect From Injury	Sat	207h.14.v Sanitation Removing Contaminants	Sat
207h.2.iii Primary Enclosure-Containment Height	N/A	207h.14.vi Sanitation Premises	UnSat
207h.2.iv Primary Enclosure-Restraint Access	Sat	207h.14.vii Sanitation Insect and Parasite Control	UnSat
207h.2.v Primary Enclosure-Shelter from Elements	Sat	207h.15 Records-Individual Dogs	Sat
207h.2.vi Primary Enclosure-Shelter Temp & Hazards	Sat	207h.16 Records-Veterinary	Sat
207h.2.vii Space-Shelter All Dogs	Sat	207I.1 Space-Size of Primary Enclosure	N/A
207h.2.viii Water-Potable Constant	UnSat	207I.2 Primary Enclosure 30" Off Floor	N/A
207h.2.ix Sanitation	Sat	207I.3.i Flooring-Structural Requirements	N/A
207h.2.x Primary Enclosure-Flooring	UnSat	207I.3.ii Flooring-Construction	N/A
207h.2.xi Space-Free Movement	Sat	207I.3.iii Flooring-Alternate Flooring Standards	N/A
207h.2.xii Space-Height	Sat	207I.4 Primary Enclosure-Unfettered Access	N/A
207h.3 Space-Nursing Dams	Sat	207I.6.i Exercise Area-Unfettered Access	N/A
207h.4 Housing Limits, Compatible, Segregation	Sat	207I.6.ii Exercise Area-Size	N/A
207h.4.1 Veterinarian	Sat	207I.6.iii Exercise Area-Containment	N/A



**Commonwealth of Pennsylvania
Bureau of Dog Law Enforcement
Kennel Inspection**



207h.5 Veterinary Program of Care	Sat	207I.6.iv Exercise Area-Repair and Maintenance	N/A
207h.6 Temperature Extreme 50 and 85	Sat	207I.6.v Exercise Area-Sanitation	N/A
207h.7 Ventilation Levels	UnSat	207I.6.vi Exercise Area-Injury	N/A
207h.8 Lighting Ranges and Cycles	Sat	207I.6.vii Exercise Area-Compatibility	N/A
207h.9 Primary Enclosure-Structural	UnSat	207I.6.viii Exercise Area-Nursing Dams	N/A
207h.10 Food Contamination	Sat	207I.6.ix Exercise Area-Structure and Maintenance	N/A
207h.11 Sanitation-Dog Removal	Sat	207I.6.x.A Exercise Area-Outdoors	N/A
207h.12 Primary Enclosure-Stacking	N/A	207I.6.xii Exercise Area-Forced Exercise	N/A
207h.13 Smoke Alarm & Fire Suppression	Sat	207I.7 Rabies Vaccination	Sat
207h.14.i Sanitation-Feces, Waste, etc.	UnSat	207I.8 Veterinary Exam Schedule	Sat
207h.14.ii Sanitation-Prior To Use	Sat		

Miscellaneous

Inspection Category	Result	Inspection Category	Result
Reinspection required	Yes	Viewed State Form Exemption Letter	Yes
Viewed Rabies Certification Letter	Yes		

Remarks

Actions which are directed to be taken are not all that may be required of the kennel operator to come into compliance. The kennel operator is responsible for taking any and all actions necessary to come into compliance.

Inspection of the kennel took place on January 28, 2011. A total of 242 adult dogs and 122 puppies were located on the premises at the time of the inspection. The kennels license was viewed; along with rabies self certification letter and state form exemption letter. Inspection was performed with Supervisor Donmoyer and Dr. Ward.

The inspection of January 28, 2011 is as follows:

21.21(b)/207(b)

Wardens observed wood which was unsealed / untreated and appeared rotted in a few primary enclosures.

This Warden directs that the kennel owner take the following action(s):

21.21(b) The interior building surfaces of housing facilities shall be constructed and maintained so that they are water resistant and may be readily sanitized.

21.24(d)/207(b)

Wardens observed vinyl type coating coming off of the metal strand flooring in several primary enclosures; as well as dog's feet passing through opening in the metal strand flooring.

This Warden directs that the kennel owner take the following action(s):

21.24(d) A dog may be sheltered in a primary enclosure having metal strand flooring provided the following conditions are met:

- (1) The metal strand flooring is coated with a vinyl type coating.
- (2) The coated metal strand flooring shall be kept in good repair.
- (3) The coated metal strand flooring shall be made of mesh construction that does not allow the dog's feet to pass through any opening in the floor and does not otherwise cause injury to the dog.
- (4) The coated metal strand flooring shall be constructed of sufficient diameter (gauge) to provide a completely rigid floor area sufficient to support the weight of dogs housed in the enclosure so that the metal strand floor does not bend or sag from the weight of the dogs.
- (5) The dogs shall be provided with a draft free area that protects the dogs from inclement weather and is large enough to hold all the occupants of the primary enclosure at the same time comfortably.

21.26/207(b)

Wardens observed a strong presence of ammonia emanating from the adult dog building upon entering the area where the dogs were being housed, this odor was so strong making it hard to breathe and causing our eyes to burn that wardens walked out and retrieved respirator masks from our vehicles so we could proceed with the inspection.

This Warden directs that the kennel owner take the following action(s):

21.26 Indoor housing facilities for dogs shall be sufficiently ventilated when dogs are present to minimize drafts, odors, ammonia levels and moisture condensation. Ventilation shall be provided by means of windows, doors, vents or air conditioners. Auxiliary ventilation from fans, blowers, or air conditioners shall be provided when the ambient temperature is 85°F (29.5°C) or higher. The relative humidity shall be maintained



**Commonwealth of Pennsylvania
Bureau of Dog Law Enforcement
Kennel Inspection**



at a level that ensures health and well-being of the dog housed therein in accordance with generally accepted husbandry practices.

21.28(c)/207(b)

Wardens observed food and water receptacles provided to dogs in several primary enclosures were unclean having dirt caked on them and rusted which is a sign of deterioration.

This Warden directs that the kennel owner take the following action(s):

21.28(c) Food and water receptacles shall be accessible to dogs kept in the kennel and shall be located to avoid contamination by excreta. The receptacles shall be durable and shall be kept clean. Self-feeders and waters may be used but shall be sanitized regularly to prevent molding, deterioration or caking of feed.

21.29(b)/207(b)

Wardens observed, in several primary enclosures housing dogs, an accumulation of food waste, cobwebs, hair, dirt, dust, and debris along tops and corners of said enclosures.

This Warden directs that the kennel owner take the following action(s):

21.29(b) Primary enclosures for dogs shall be sanitized a minimum of once daily, and as often as is necessary to prevent an accumulation of debris or excreta or a disease hazard. A dog may not be placed in a primary enclosure previously occupied unless the enclosure has been sanitized.

21.29(c)/207(b)

Wardens observed an accumulation of hair and cobwebs in both of the housing facilities, and saw rodent droppings on top of the solid topped primary enclosures housing dogs in the smaller housing facility as well. Wardens also observed rust on the fencing in the outside run area of primary enclosures in the smaller housing facility.

This Warden directs that the kennel owner take the following action(s):

21.29(c) The buildings and grounds of kennels shall be maintained, kept clean and in good repair to protect the animal from injury and to facilitate practices required by this chapter. Kennels shall have an effective program that controls ingress by insects, ectoparasites and avian and mammalian pests or conditions that would allow or encourage infestation in a kennel are indicative of an ineffective program and unsanitary environmental sanitation in the kennel.

21.30/207(b)

Wardens observed numerous dogs with dental disease, eye and ear infections; veterinary checks were ordered on these dogs.

This Warden directs that the kennel owner take the following action(s):

An employee of the Department may visually observe the physical condition of a dog sheltered at a kennel. A dog sheltered at a kennel shall be free of infectious and contagious diseases, and shall be in general good health. If a dog exhibits signs of poor health, the kennel owner shall have proof of adequate veterinary care for the dog.

207(h)(1)

Wardens observed several primary enclosures with rusted framing; and a few primary enclosures with unsealed / untreated wood which also appeared to be rotted.

This Warden directs that the kennel owner take the following action(s):

207(h)(1) Primary enclosures must be designed and constructed so that they are structurally sound and must be kept in good repair.

207(h)(2)(viii)

Wardens observed several primary enclosures with water provided to dogs which was completely frozen solid.

This Warden directs that the kennel owner take the following action(s):

207(h)(2)(viii) Provide potable water at all times, unless otherwise directed by a veterinarian in a writing that shall be kept in the kennel records.

207(h)(2)(x)

Wardens observed several primary enclosures with dog's feet passing through opening in the metal strand flooring.

This Warden directs that the kennel owner take the following action(s):



**Commonwealth of Pennsylvania
Bureau of Dog Law Enforcement
Kennel Inspection**



207(h)(2)(x) Have floors that are constructed in a manner that protects the dogs' feet and legs from injury. The floor shall not permit the feet of a dog housed in the primary enclosure to pass through any opening.

207(h)(7)

Wardens observed a strong presence of ammonia emanating from the adult dog building upon entering the area where the dogs were being housed, this odor was so strong making it hard to breathe and causing our eyes to burn that wardens walked out and retrieved respirator masks from our vehicles so we could proceed with the inspection.

This warden directs that the kennel owner take the following action(s):

207(h)(7) Housing facilities for dogs must be sufficiently ventilated at all times when dogs are present to provide for their health and well-being and to minimize odors, drafts, ammonia levels and to prevent moisture condensation. The Canine Health Board shall determine auxiliary ventilation to be provided if the ambient air temperature is 85 degrees F or higher. The relative humidity must be maintained at a level that ensures the health and well-being of the dogs housed therein. The appropriate ventilation, humidity and ammonia ranges shall be determined by the Canine Health Board.

207(h)(9)

Wardens observed multiple primary enclosures with unsealed / untreated wood as well as wood which appeared rotted.

This Warden directs that the kennel owner take the following action(s):

207(h)(9) The floors and walls of primary enclosures must be impervious to moisture. The ceilings of indoor housing facilities must be impervious to moisture or be replaceable.

207(h)(14)(i)

Wardens observed, in several primary enclosures housing dogs, an accumulation of food waste, cobwebs, hair, dirt, dust, and debris along tops and corners of said enclosures.

This Warden directs that the kennel owner take the following action(s):

207(h)(14)(i) Excreta, feces, hair, dirt, debris and food waste must be removed from primary enclosures at least daily or more often if necessary to prevent an accumulation of excreta, feces, hair, dirt, debris, and food waste to prevent soiling of dogs contained in the primary enclosures and to reduce disease hazards, insects, pests and odor.

207(h)(14)(iii)

Wardens observed, in several primary enclosures housing dogs, an accumulation of food waste, cobwebs, hair, dirt, dust, and debris along tops and corners of said enclosures.

This Warden directs that the kennel owner take the following action(s):

207(h)(14)(iii) Used primary enclosures and food and water receptacles for dogs must be sanitized at least once every two weeks using one of the methods under subparagraph (iv) and more often if necessary to prevent an accumulation of excreta, feces, hair, dirt, debris, food waste and other disease hazards.

207(h)(14)(vi)

Wardens observed an accumulation of hair and cobwebs in both of the housing facilities, and saw rodent droppings on top of the solid topped primary enclosures housing dogs in the smaller housing facility as well. Wardens also observed rust on the fencing in the outside run area of primary enclosures in the smaller housing facility.

This Warden directs that the kennel owner take the following action(s):

207(h)(14)(vi) Premises where primary enclosures are located, including buildings and surrounding grounds, must be kept clean and in good repair to protect the animals from injury, to facilitate the husbandry practices required in this act and to reduce or eliminate breeding and living areas for rodents and other pests and vermin. Premises must be kept free of accumulations of trash, junk, waste products and discarded matter. Weeds, grasses and bushes must be controlled so as to facilitate cleaning of the premises and pest control and to protect the health and well-being of the animals.

207(h)(14)(vii)

Wardens observed rodent dropping on top of solid topped primary enclosures housing dogs in the smaller housing facility.

This warden directs that the kennel owner take the following action(s):

An effective program for the control of insects, external parasites affecting dogs or pests must be



**Commonwealth of Pennsylvania
Bureau of Dog Law Enforcement
Kennel Inspection**



established and maintained so as to promote the health and well-being of the dogs and reduce contamination by pests in housing facilities.

402:

Veterinary examinations were ordered on dogs under section 402(a) based on warden's observations of the condition of dogs during an inspection. Kennel is in compliance with section 402(d) because veterinary examinations were completed within the 72 hour time frame.

*A Waiver application has been filed for this kennel in accordance with Section 207(j) of the Dog Law. If a Waiver has been granted regarding a particular section of the Dog Law, this section will be marked N/A. Waiver denials may result in a limited period of time to come in to compliance with a particular section of the Dog Law. Such section may nevertheless receive an "unsatisfactory" rating during that limited time period.



**Commonwealth of Pennsylvania
Bureau of Dog Law Enforcement
Kennel Inspection**



Kennel TURKEY HILL KENNEL 300 E BLACK CREEK ROAD EAST EARL PA 17519 717-445-0037 (Business)			Owner(s)		
Kennel County	LANCASTER (6)		Kennel Township	BRECKNOCK	
License Number	02459		License Year / Class	2011 CK6: 501 OR MORE DOGS PER YEAR	
Person Interviewed			Title		
Inspection Action	Citation Issued	Inspection Date	3/10/2011	Inspected By	ALLWEIN, MATTHEW
Number of Dogs (Sold/Boarded/Adopted/Transferred/Returned to Owner)					
On Premises:	344	During License Term:	119	Previous 12 Months:	587

Kennel Regulations

Inspection Category	Result	Inspection Category	Result
21.21a Maintenance	Sat	21.27 Lighting	Sat
21.21b Water Resistance	Sat	21.28a Food	Sat
21.21c Drainage	Sat	21.28b Water	Sat
21.22 Segregation	Sat	21.28c Food/Water Receptacles	Sat
21.23a Run Space	Sat	21.28d Bedding Cleanliness	Sat
21.23b Run Dimensions	Sat	21.29a Excreta	UnSat
21.24a Shelter	Sat	21.29b Sanitation	UnSat
21.24b Bedding	N/A	21.29c Housekeeping/Pests	UnSat
21.24c Chains	N/A	21.41a Records Kept	Sat
21.24d Flooring-Metal Strand	UnSat	21.41b Record on State Forms	Sat
21.25a Temperature	Sat	21.42 Bill of Sale	Sat
21.25b Shade	Sat	455.8 Rabies Vaccination	Sat
21.26 Ventilation	UnSat	Other 21.30 Condition of Dog	UnSat

Kennel Acts

Inspection Category	Result	Inspection Category	Result
206a Kennel Closure or Moving	No	207g.2 Smoke Alarm & Fire Extinguishers	N/A
207a Unlicensed Kennel	No	209a.1.1 Dealing Unlic OOS Dealer	No
207b Maintenance	UnSat	210 Bill of Sale	Sat
207c Records Kept	Sat	214 Health Certificate	N/A
207d Tags - RKNH	N/A	220 Refusal of Entry	No
207e Display of License, Refusal or Revocation	Sat	401c Interference with Officer	No
207g.1 Exercise Plan	N/A	402.d Vet Check	Yes

Commercial Kennel Acts

Inspection Category	Result	Inspection Category	Result
207h.1 Primary Enclosure-Gen Structure and Repair	Sat	207h.14.iii Sanitation-Two Weeks or Less	UnSat
207h.2.i Primary Enclosure-Sharp Edges and Points	Sat	207h.14.iv Sanitation Methods	Sat
207h.2.ii Primary Enclosure-Protect From Injury	Sat	207h.14.v Sanitation Removing Contaminants	Sat
207h.2.iii Primary Enclosure-Containment Height	N/A	207h.14.vi Sanitation Premises	Sat
207h.2.iv Primary Enclosure-Restraint Access	Sat	207h.14.vii Sanitation Insect and Parasite Control	Sat
207h.2.v Primary Enclosure-Shelter from Elements	Sat	207h.15 Records-Individual Dogs	Sat
207h.2.vi Primary Enclosure-Shelter Temp & Hazards	Sat	207h.16 Records-Veterinary	Sat
207h.2.vii Space-Shelter All Dogs	Sat	207I.1 Space-Size of Primary Enclosure	N/A
207h.2.viii Water-Potable Constant	Sat	207I.2 Primary Enclosure 30" Off Floor	N/A
207h.2.ix Sanitation	Sat	207I.3.i Flooring-Structural Requirements	N/A
207h.2.x Primary Enclosure-Flooring	UnSat	207I.3.ii Flooring-Construction	N/A
207h.2.xi Space-Free Movement	Sat	207I.3.iii Flooring-Alternate Flooring Standards	N/A
207h.2.xii Space-Height	Sat	207I.4 Primary Enclosure-Unfettered Access	N/A
207h.3 Space-Nursing Dams	N/A	207I.6.i Exercise Area-Unfettered Access	N/A
207h.4 Housing Limits, Compatible, Segregation	Sat	207I.6.ii Exercise Area-Size	N/A
207h.4.1 Veterinarian	Sat	207I.6.iii Exercise Area-Containment	N/A



**Commonwealth of Pennsylvania
Bureau of Dog Law Enforcement
Kennel Inspection**



207h.5 Veterinary Program of Care	Sat	207I.6.iv Exercise Area-Repair and Maintenance	N/A
207h.6 Temperature Extreme 50 and 85	Sat	207I.6.v Exercise Area-Sanitation	N/A
207h.7 Ventilation Levels	UnSat	207I.6.vi Exercise Area-Injury	N/A
207h.8 Lighting Ranges and Cycles	Sat	207I.6.vii Exercise Area-Compatibility	N/A
207h.9 Primary Enclosure-Structural	Sat	207I.6.viii Exercise Area-Nursing Dams	N/A
207h.10 Food Contamination	Sat	207I.6.ix Exercise Area-Structure and Maintenance	N/A
207h.11 Sanitation-Dog Removal	Sat	207I.6.x.A Exercise Area-Outdoors	N/A
207h.12 Primary Enclosure-Stacking	N/A	207I.6.xii Exercise Area-Forced Exercise	N/A
207h.13 Smoke Alarm & Fire Suppression	Sat	207I.7 Rabies Vaccination	Sat
207h.14.i Sanitation-Feces, Waste, etc.	UnSat	207I.8 Veterinary Exam Schedule	Sat
207h.14.ii Sanitation-Prior To Use	Sat		

Miscellaneous

Inspection Category	Result	Inspection Category	Result
Reinspection required	Yes	Viewed State Form Exemption Letter	Yes
Viewed Rabies Certification Letter	Yes		

Remarks

Actions which are directed to be taken are not all that may be required of the kennel operator to come into compliance. The kennel operator is responsible for taking any and all actions necessary to come into compliance.

Inspection of the kennel took place on March 10, 2011. A total of 237 adults and 107 puppies were located on the premises at the time of the inspection. The kennels license was viewed; along with rabies self certification letter and state form exemption letter. Inspection was performed with SDW Loughlin and Dr. Ward.

The inspection of March 10, 2011 is as follows:

402

Veterinary examinations were ordered on dogs under Section 402(a) based on warden's observations of the condition of dogs during an inspection. Kennel is in compliance with Section 402(d) because veterinary examinations were completed within the 72 hour time frame.

21.24(d)/207(b)

Wardens observed, in multiple primary enclosures, dogs feet passing through openings in the metal strand flooring.

This warden directs that the kennel owner take the following action(s):

21.24(d) A dog may be sheltered in a primary enclosure having metal strand flooring provided the following conditions are met:

- (1) The metal strand flooring is coated with a vinyl type coating.
- (2) The coated metal strand flooring shall be kept in good repair.
- (3) The coated metal strand flooring shall be made of mesh construction that does not allow the dog's feet to pass through any opening in the floor and does not otherwise cause injury to the dog.
- (4) The coated metal strand flooring shall be constructed of sufficient diameter (gauge) to provide a completely rigid floor area sufficient to support the weight of dogs housed in the enclosure so that the metal strand floor does not bend or sag from the weight of the dogs.

21.26/207(b)

Wardens observed a strong presence of ammonia emanating from the adult dog building upon entering the area where the dogs were being house. This odor was so strong that it made it hard to breathe inside the kennel causing wardens to wear respirator masks to proceed with the inspection.

This warden directs that the kennel owner take the following action(s):

21.26 Indoor housing facilities for dogs shall be sufficiently ventilated when dogs are present to minimize drafts, odors, ammonia levels and moisture condensation. Ventilation shall be provided by means of windows, doors, vents or air conditioners. Auxiliary ventilation from fans, blowers, or air conditioners shall be provided when the ambient temperature is 85°F (29.5°C) or higher. The relative humidity shall be maintained at a level that ensures health and well-being of the dog housed therein in accordance with generally accepted husbandry practices.

21.29(a)/207(b)

Wardens observed a buildup of excreta on the underside of the metal strand flooring in several primary enclosures . The kennel owner also stated that they do not clean the undersides of the flooring.



**Commonwealth of Pennsylvania
Bureau of Dog Law Enforcement
Kennel Inspection**



This warden directs that the kennel owner take the following action(s):

21.29(a) Excreta shall be removed from the primary enclosure, including any floor area or ground surface beneath the primary enclosure, on a daily basis.

21.29(b)/207(b)

Wardens observed an accumulation of excreta and debris in several primary enclosures.

This warden directs that the kennel owner take the following action(s):

21.29(b) Primary enclosures for dogs shall be sanitized a minimum of once daily, and as often as is necessary to prevent an accumulation of debris or excreta or a disease hazard. A dog may not be placed in a primary enclosure previously occupied unless the enclosure has been sanitized.

21.29(c)/207(b)

Wardens observed a buildup of dirt on the doors of several primary enclosures, a buildup of hair and excreta on the inside of the doors to several primary enclosures, a buildup of feces on the underside of several primary enclosures, and rust on the pipes for the automatic water dispensers in several primary enclosures.

This warden directs that the kennel owner take the following action(s):

21.29(c) The buildings and grounds of kennels shall be maintained, kept clean and in good repair to protect the animal from injury and to facilitate practices required by this chapter. Kennels shall have an effective program that controls ingress by insects, ectoparasites and avian and mammalian pests or conditions that would allow or encourage infestation in a kennel are indicative of an ineffective program and unsanitary environmental sanitation in the kennel

21.30/207(b)

Wardens observed several dogs that exhibited signs of poor health and the kennel owner claimed they had been examined by a veterinarian but did not have proof of examinations.

This warden directs that the kennel owner take the following action(s):

21.30 An employee of the Department may visually observe the physical condition of a dog sheltered at a kennel. A dog sheltered at a kennel shall be free of infectious and contagious diseases, and shall be in general good health. If a dog exhibits signs of poor health, the kennel owner shall have proof of adequate veterinary care for the dog.

207(h)(2)(x)

Wardens observed several primary enclosures with dog's feet passing through opening in the metal strand flooring.

This warden directs that the kennel owner take the following action(s):

207(h)(2)(x) Have floors that are constructed in a manner that protects the dogs' feet and legs from injury. The floor shall not permit the feet of a dog housed in the primary enclosure to pass through any opening.

207(h)(7)

Wardens observed a strong presence of ammonia emanating from the adult dog building upon entering the area where the dogs were being housed. This odor was so strong that it made it hard to breathe inside the kennel causing wardens to wear respirator masks to proceed with the inspection.

This warden directs that the kennel owner take the following action(s):

207(h)(7) Housing facilities for dogs must be sufficiently ventilated at all times when dogs are present to provide for their health and well-being and to minimize odors, drafts, ammonia levels and to prevent moisture condensation. The Canine Health Board shall determine auxiliary ventilation to be provided if the ambient air temperature is 85 degrees F or higher. The relative humidity must be maintained at a level that ensures the health and well-being of the dogs housed therein. The appropriate ventilation, humidity and ammonia ranges shall be determined by the Canine Health Board.

207(h)(14)(i)

Wardens observed dirt built up on several primary enclosure doors, a buildup of hair and feces on the inside of several primary enclosure doors, and a buildup of hair and feces on the underside of the flooring in several primary enclosures.

This warden directs that the kennel owner take the following action(s):

207(h)(14)(i) Excreta, feces, hair, dirt, debris and food waste must be removed from primary enclosures at



**Commonwealth of Pennsylvania
Bureau of Dog Law Enforcement
Kennel Inspection**



least daily or more often if necessary to prevent an accumulation of excreta, feces, hair, dirt, debris, and food waste to prevent soiling of dogs contained in the primary enclosures and to reduce disease hazards, insects, pests and odor.

207(h)(14)(iii)

Wardens observed a buildup of hair and feces on the inside of the doors on several primary enclosures, and a buildup of feces on the underside of the flooring in several primary enclosures.

This warden directs that the kennel owner take the following action(s):

207(h)(14)(iii) Used primary enclosures and food and water receptacles for dogs must be sanitized at least once every two weeks using one of the methods under subparagraph (iv) and more often if necessary to prevent an accumulation of excreta, feces, hair, dirt, debris, food waste and other disease hazards.

A re inspection of the kennel will take place at a later date.

*A Waiver application has been filed for this kennel in accordance with Section 207(j) of the Dog Law. If a Waiver has been granted regarding a particular section of the Dog Law, this section will be marked N/A. Waiver denials may result in a limited period of time to come in to compliance with a particular section of the Dog Law. Such section may nevertheless receive an "unsatisfactory" rating during that limited time period.